



DIN 06 B-2

ENGRENAGEM PARA CORRENTE DUPLA

- **Material:** Aço SAE 1040/* Material ferro com cubo soldado
- **Rolo:** 6,35mm
- 3/8" x 7/32"
- 9,525 x 5,372 mm
- **B1 = 5,3 / B2 = 15,4 / B3 = 25,6 / b1 = 5,2 / C = 1 / r3 = 10**



Z Nº Dentes	DUPLA					
	de	dp	dm	D1	A	
8	26,8	24,89	15	8	25	0,04
9	31,5	27,85	18	8	25	0,05
10	34,5	30,82	20	8	25	0,07
11	37,5	33,80	22	10	30	0,10
12	40,5	36,80	25	10	30	0,13
13	43,5	39,80	28	10	30	0,16
14	46,5	42,80	31	10	30	0,20

15	49,5	45,81	34	10	30	0,24
16	52,5	48,82	37	12	30	0,27
17	55,5	51,83	40	12	00	0,32
18	58,6	54,85	43	12	30	0,38
19	61,6	57,87	46	12	30	0,42
20	64,6	60,89	49	12	30	0,48
21	67,6	63,91	52	16	30	0,52
22	70,6	66,93	55	16	30	0,58
23	73,7	69,95	58	16	30	0,64
24	76,7	72,97	61	16	30	0,71
25	79,7	76,00	64	16	30	0,79
26	82,7	79,02	67	16	30	0,87
27	85,7	82,04	70	16	30	0,94
28	88,8	85,07	73	16	30	1,03
29	91,8	88,09	76	16	30	1,11
30	94,8	91,12	79	16	30	1,20
31	97,9	94,15	80	16	30	1,27
32	100,9	97,17	80	16	30	1,32
33	103,9	100,20	80	16	30	1,37
34	106,9	102,23	80	16	30	1,43
35	110,0	106,26	80	16	30	1,49
36	113,0	109,29	90	16	30	1,70
37	116,0	112,32	90	6	30	1,76

38	119,0	115,34	90	16	30	1,81
39	122,1	118,37	90	16	30	1,88
40	125,1	121,40	90	16	30	1,95
42	132,1	127,46	*88	20	50	2,44
45	141,1	136,354	*88	20	50	3,15
48	150,2	145,64	*88	20	55	3,43
50	156,3	151,69	*88	20	50	3,53
57	177,5	172,91	*88	20	50	4,16
60	186,6	181,99	*88	20	50	4,45
76	235,1	230,49	*88	25	50	6,23
95	292,7	288,08	*108	25	50	9,76

