



DIN 12 B-2

ENGRENAGEM PARA CORRENTE SIMPLES

- **Material:** Aço SAE 1040/* Material ferro com cubo soldado
- **Rolo:** 12,07mm
- 3/4" x 7/16"
- 19,05 x 11,68 mm
- **B1 = 11,1 / B2 = 30,3 / B3 = 49,8 / b1 = 10,8 / C = 2 / r3 = 19**



Z Nº Dentes	SIMPLES					
	de	dp	dm	D1	A	
8	58,0	49,78	31	12	45	0,31
9	63,9	55,70	37	12	45	0,44
10	69,8	61,64	42	12	45	0,59
11	75,8	67,61	47	16	50	0,81
12	81,8	73,60	53	16	50	1,02
13	87,8	79,59	59	16	50	1,25
14	93,8	85,61	65	16	50	1,46

15	99,8	91,63	71	16	50	1,74
16	105,8	91,65	77	20	50	2,03
17	111,9	103,67	83	20	50	2,36
18	117,9	109,71	89	20	50	2,70
19	123,9	115,75	95	20	50	3,07
20	130,0	121,78	100	20	50	3,43
21	136,0	127,82	100	20	50	3,69
22	142,0	133,86	100	20	50	3,97
23	148,1	139,90	110	20	50	4,51
24	154,1	145,94	110	20	50	4,81
25	160,2	152,00	120	20	50	5,41
26	166,2	158,04	120	20	50	5,73
27	172,3	164,09	120	20	50	6,08
28	178,3	170,13	120	20	50	6,43
29	184,4	176,19	120	20	50	6,8
30	190,4	182,25	120	20	50	7,19
31	196,5	188,31	120	20	50	7,59
32	202,5	194,35	120	20	50	8,00
33	208,6	200,40	120	20	50	8,42
34	214,6	206,46	120	20	50	8,86
35	220,7	212,52	120	20	50	9,31
36	226,8	218,58	120	25	50	9,71
37	232,8	224,64	120	25	50	10,19

38	238,9	230,69	120	25	50	10,78
39	244,9	236,75	120	25	50	11,19
40	251,0	242,81	120	25	50	11,71
42	265,0	254,93	*136	25	62	14,51
45	283,2	273,10	*136	25	62	16,35
46	289,2	279,16	*136	25	62	16,80
48	301,4	291,3	*136	25	62	18,18
50	313,5	303,4	*136	25	62	19,44
57	355,9	345,8	*136	25	26	24,43
60	374,1	364	*136	25	62	26,77
76	471,1	461	*145	30	63	41,88
95	586,2	576,2	*145	30	63	63,79